


STEP 1: POSTS


Put 2 upright posts apart from each other. Ensure the black adjustable feet are leveled with the floor.



STEP 2: PEGBOARD BACKING

There are 2 sizes of pegboard backing 300mm and 150mm high. Start with 150mm high pegboard backing, clip into the upright post starting from the bottom, then finish with 300mm high pegboard backing on the top.

	300mm Backing	150mm Backing
1230mm High Bay:	3	1
1530mm High Bay:	4	1
1830mm High Bay:	5	1
2130mm High Bay:	6	1
2430mm High Bay:	7	1



Do the same for the back side of double sided gondolas.

For customized height, there might be 250mm high pegboard backing, please check with us.


Place "Top Cap" across the posts to cover the pegboard backings.

STEP 3: BASE SHELF

Place the base shelf on the post, clip inside the U shape runner. At this stage please ensure the adjustable feet are leveled with the floor.

STEP 4: CONNECTING BAYS IN A ROW

When you have 2 or more bays joining together, the upright post become shared between 2 bays. Simply clip the pegboard backing on the other side of the post.




STEP 5: SHELF & BRACKETS

Insert shelf bracket into upright post, and rest shelf on the brackets. Ensure it is locked in, so the shelf won't slide off.

According to the number of levels in your order, please place each level at desired height.

The shelf brackets are multi-angled, it allows for flat display or slanting angled display. You should purchase wire front to have angled display which prevent merchandise from sliding off.



STEP 6: COMPLETE THE BAY

After complete each bay, please check the shelves are locked in the brackets, and ensure the bay is leveled with the floor.




CLIP ON END Assembly Instruction

There are 2 types of ends we can offer with double sided shelving:

- **Clip On Ends**
- **Single Sided Feature End**


(this is same as single sided shelving, and it is independent from double sided shelving)



How to Set up Clip On Ends:

STEP 1: FRAME

Bring 1 Clip On Frame to the end of Double Sided isle, Clip into the double side post, and put the bottom clip into the post, and secure with a long screw.



STEP 2: PEGBOARD BACKING

Clip pegboard backing into the frame, depending on the height of the clip on ends, you will need below number of backings.

	300mm Backing	150mm Backing
1530mm High Bay:	4	1
1830mm High Bay:	5	1
2130mm High Bay:	6	1

STEP 3: SHELF & HOOKS

Make sure the black feet is leveled to the ground.

Now you can add hooks or shelves according to your order.

